

Cultivating Complex Analysis:  
The exponential (1.2.1)  
Polar coordinates (1.2.2)

Jiří Lebl

Departemento pri Matematiko de Oklahoma Ŝtata Universitato

Define the exponential  $e^z$  for  $z \in \mathbb{C}$  (using the real exponential and sin/cos):

$$\exp(z) = e^z = e^{x+iy} \stackrel{\text{def}}{=} e^x e^{iy} = e^x \cos y + ie^x \sin y.$$

Define the exponential  $e^z$  for  $z \in \mathbb{C}$  (using the real exponential and sin/cos):

$$\exp(z) = e^z = e^{x+iy} \stackrel{\text{def}}{=} e^x e^{iy} = e^x \cos y + ie^x \sin y.$$

Some immediate properties:

$$e^{\bar{z}} = e^{x-iy} = e^x \cos y - ie^x \sin y = \overline{e^z}, \quad |e^z| = |e^{x+iy}| = e^x.$$



Define the exponential  $e^z$  for  $z \in \mathbb{C}$  (using the real exponential and sin/cos):

$$\exp(z) = e^z = e^{x+iy} \stackrel{\text{def}}{=} e^x e^{iy} = e^x \cos y + ie^x \sin y.$$

Some immediate properties:

$$e^{\bar{z}} = e^{x-iy} = e^x \cos y - ie^x \sin y = \overline{e^z}, \quad |e^z| = |e^{x+iy}| = e^x.$$

Graphs of the real and imaginary part:



## Proposition

*For any two complex numbers  $z, w \in \mathbb{C}$ ,  $e^{z+w} = e^z e^w$ .*

Proof is an exercise (requires trig identities).

## Proposition

*For any two complex numbers  $z, w \in \mathbb{C}$ ,  $e^{z+w} = e^z e^w$ .*

Proof is an exercise (requires trig identities).

*Euler's formula ( $\theta \in \mathbb{R}$ ):*

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

## Proposition

For any two complex numbers  $z, w \in \mathbb{C}$ ,  $e^{z+w} = e^z e^w$ .

Proof is an exercise (requires trig identities).

Euler's formula ( $\theta \in \mathbb{R}$ ):

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

Meaning for  $\theta \in \mathbb{R}$ :

$$\cos \theta = \operatorname{Re} e^{i\theta} = \frac{e^{i\theta} + e^{-i\theta}}{2}, \quad \sin \theta = \operatorname{Im} e^{i\theta} = \frac{e^{i\theta} - e^{-i\theta}}{2i}.$$

## Proposition

For any two complex numbers  $z, w \in \mathbb{C}$ ,  $e^{z+w} = e^z e^w$ .

Proof is an exercise (requires trig identities).

Euler's formula ( $\theta \in \mathbb{R}$ ):

$$e^{i\theta} = \cos \theta + i \sin \theta.$$

Meaning for  $\theta \in \mathbb{R}$ :

$$\cos \theta = \operatorname{Re} e^{i\theta} = \frac{e^{i\theta} + e^{-i\theta}}{2}, \quad \sin \theta = \operatorname{Im} e^{i\theta} = \frac{e^{i\theta} - e^{-i\theta}}{2i}.$$

We define  $\sin$  and  $\cos$  for  $z \in \mathbb{C}$  accordingly:

$$\cos z \stackrel{\text{def}}{=} \frac{e^{iz} + e^{-iz}}{2}, \quad \sin z \stackrel{\text{def}}{=} \frac{e^{iz} - e^{-iz}}{2i}.$$




$\mathbb{C}$  is just the plane, so we can use *polar coordinates* for  $z = x + iy$ :  $x = r \cos \theta$  and  $y = r \sin \theta$ .

$\mathbb{C}$  is just the plane, so we can use *polar coordinates* for  $z = x + iy$ :  $x = r \cos \theta$  and  $y = r \sin \theta$ .

Due to the Euler formula:

$$z = re^{i\theta} = r \cos \theta + ir \sin \theta = x + iy.$$




$\mathbb{C}$  is just the plane, so we can use *polar coordinates* for  $z = x + iy$ :  $x = r \cos \theta$  and  $y = r \sin \theta$ .

Due to the Euler formula:

$$z = re^{i\theta} = r \cos \theta + ir \sin \theta = x + iy.$$

We call  $re^{i\theta}$  the *polar form*.




$\mathbb{C}$  is just the plane, so we can use *polar coordinates* for  $z = x + iy$ :  $x = r \cos \theta$  and  $y = r \sin \theta$ .

Due to the Euler formula:

$$z = re^{i\theta} = r \cos \theta + ir \sin \theta = x + iy.$$

We call  $re^{i\theta}$  the *polar form*.

$r = |z| = \sqrt{x^2 + y^2}$  is the modulus.



$\mathbb{C}$  is just the plane, so we can use *polar coordinates* for  $z = x + iy$ :  $x = r \cos \theta$  and  $y = r \sin \theta$ .


Due to the Euler formula:

$$z = re^{i\theta} = r \cos \theta + ir \sin \theta = x + iy.$$

We call  $re^{i\theta}$  the *polar form*.

$r = |z| = \sqrt{x^2 + y^2}$  is the modulus.

$\theta$  is called the *argument*.



Polar form is good for multiplication and powers:

Polar form is good for multiplication and powers:

Suppose  $z = re^{i\theta}$  and  $w = se^{i\psi}$ ,

Polar form is good for multiplication and powers:

Suppose  $z = re^{i\theta}$  and  $w = se^{i\psi}$ ,

$$zw = re^{i\theta} se^{i\psi} = rse^{i(\theta+\psi)}, \quad \frac{1}{z} = \frac{1}{re^{i\theta}} = \frac{1}{r}e^{-i\theta}, \quad z^n = (re^{i\theta})^n = r^n e^{in\theta}.$$



Polar form is good for multiplication and powers:

Suppose  $z = re^{i\theta}$  and  $w = se^{i\psi}$ ,

$$zw = re^{i\theta} se^{i\psi} = rse^{i(\theta+\psi)}, \quad \frac{1}{z} = \frac{1}{re^{i\theta}} = \frac{1}{r}e^{-i\theta}, \quad z^n = (re^{i\theta})^n = r^n e^{in\theta}.$$

Multiplication rotates by the argument and scales by the modulus.

Polar form is good for multiplication and powers:

Suppose  $z = re^{i\theta}$  and  $w = se^{i\psi}$ ,

$$zw = re^{i\theta} se^{i\psi} = rse^{i(\theta+\psi)}, \quad \frac{1}{z} = \frac{1}{re^{i\theta}} = \frac{1}{r}e^{-i\theta}, \quad z^n = (re^{i\theta})^n = r^n e^{in\theta}.$$

Multiplication rotates by the argument and scales by the modulus.

Again note that  $i = e^{i\pi/2}$  is rotation counterclockwise by 90 degrees.

Polar form is good for multiplication and powers:

Suppose  $z = re^{i\theta}$  and  $w = se^{i\psi}$ ,

$$zw = re^{i\theta} se^{i\psi} = rse^{i(\theta+\psi)}, \quad \frac{1}{z} = \frac{1}{re^{i\theta}} = \frac{1}{r}e^{-i\theta}, \quad z^n = (re^{i\theta})^n = r^n e^{in\theta}.$$

Multiplication rotates by the argument and scales by the modulus.

Again note that  $i = e^{i\pi/2}$  is rotation counterclockwise by 90 degrees.

The downside is that the polar form is terrible for addition.